

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	09/988,614	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:52
L2	217875	"365"/("200" "63" "191" "214" "230.03" "230.06" "230.08").cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:03
L3	42	(((((address near3 input) and (redundant with defect\$3)) and (array bank block)) and (subblock sub-block sub-array subarray sub-bank subbank)) and (defect\$3 with shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:03
L4	5	(address near2 input) and ((US-6314033-\$ or US-6188597-\$ or US-5491655-\$ or US-6304501-\$ or US-6104648-\$ or US-6246614-\$).did. or (JP-2001297595-\$).did. or (JP-2001297595-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:03
L5	22	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:04
L6	17	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:04
L7	4	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:04
L8	51	(shift adj2 redundan\$4) and (defect\$3 adj3 line) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:04
L9	63	(shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:04

L10	16	(((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)) and (subblock sub-block)) and (defect\$3 near3 stor\$3 near3 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L11	31	L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L12	5	L2 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L13	13	L2 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L14	10	L2 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L15	2	L2 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L16	36	L2 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L17	27	L2 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05

L18	11	L2 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:05
L19	9	((subblock (sub adj block)) and (redundant substitut\$3 repair\$3) and address and (defect\$3 adj3 stor\$3) and line).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:07
S1	96	(shift adj2 redundan\$4) and defect\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:06
S2	40	(shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/17 18:03
S3	30	(shift adj2 redundan\$4) and (defect\$3 adj3 line) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/17 17:31
S4	1	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 23:51
S5	10	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/17 18:12
S6	12	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 23:52
S7	47149	address near2 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/20 15:31

S8	8	(US-6314033-\$ or US-6188597-\$ or US-5491655-\$ or US-6304501-\$ or US-6104648-\$ or US-6246614-\$).did. or (JP-2001297595-\$).did. or (JP-2001297595-\$).did.	USPAT; JPO; DERWENT	OR	OFF	2003/01/20 15:31
S9	1	"6194914".PN. and ("6194914".PN. and (((326/106 326/105 326/104 326/113).ccls.) and Nand\$3 and read\$3) and memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/20 15:32
S10	5	(address near2 input) and ((US-6314033-\$ or US-6188597-\$ or US-5491655-\$ or US-6304501-\$ or US-6104648-\$ or US-6246614-\$).did. or (JP-2001297595-\$).did. or (JP-2001297595-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/20 15:32
S11	1880	(address near3 input) and redundant and defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/24 17:01
S12	1266	(address near3 input) and (redundant with defect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/24 17:02
S13	1170	((address near3 input) and (redundant with defect\$3)) and (array bank block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/24 17:03
S14	198	((address near3 input) and (redundant with defect\$3)) and (array bank block)) and (subblock sub-block sub-array subarray sub-bank subbank)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/24 17:04
S15	31	((address near3 input) and (redundant with defect\$3)) and (array bank block)) and (subblock sub-block sub-array subarray sub-bank subbank)) and (defect\$3 with shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/25 22:42
S16	144	((address near2 input) near2 (circuit signal)) and redundant and ((defect\$3 near3 (data information)) with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/02 11:29

S17	1	(deffect\$3 near3 address) near3 stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:10
S18	1	(deffect\$3 with stor\$3) and redundan\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:08
S19	7	deffect\$3 with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:09
S20	1	(deffect\$3 near3 address) and redundan\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:15
S21	67880	memory and redundan\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:16
S22	18992	(memory and redundan\$2) and (address with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:17
S23	1030	(memory and redundan\$2) and ((defect\$3 adj3 address) with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:17
S24	857	(memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:17
S25	154	((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:19
S26	146	((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)) and (array block bank subblock sub-block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 19:21

S27	102	(((((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)) and (array block bank subblock sub-block)) and (defect\$3 near3 stor\$3 near3 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 15:08
S28	13	(((((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)) and (subblock sub-block)) and (defect\$3 near3 stor\$3 near3 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 15:08
S29	411	(redundan\$2 adj2 (unit circuit)) with (defect\$3 near4 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 18:04
S30	3420	365/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 18:04
S31	181	((redundan\$2 adj2 (unit circuit)) with (defect\$3 near4 stor\$3)) and 365/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 18:04
S32	2	09/988,614	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 21:46
S33	3622	365/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:02
S34	192	((redundan\$2 adj2 (unit circuit)) with (defect\$3 near4 stor\$3)) and 365/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:02
S35	14	(((((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)) and (subblock sub-block)) and (defect\$3 near3 stor\$3 near3 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:02

S36	109	(((((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)) and (array block bank subblock sub-block)) and (defect\$3 near3 stor\$3 near3 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S37	159	(shift adj2 redundan\$4) and defect\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S38	62	(shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S39	50	(shift adj2 redundan\$4) and (defect\$3 adj3 line) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S40	4	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S41	17	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S42	21	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S43	1	"6194914".PN. and ("6194914".PN. and (((326/106 326/105 326/104 326/113).ccls.) and Nand\$3 and read\$3) and memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S44	5	(address near2 input) and ((US-6314033-\$ or US-6188597-\$ or US-5491655-\$ or US-6304501-\$ or US-6104648-\$ or US-6246614-\$).did. or (JP-2001297595-\$).did. or (JP-2001297595-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03

S45	40	(((((address near3 input) and (redundant with defect\$3)) and (array bank block)) and (subblock sub-block sub-array subarray sub-bank subbank)) and (defect\$3 with shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:03
S46	2	09/988,614	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 22:19
S47	3723	365/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:01
S48	16	(((((memory and redundan\$2) and ((defect\$3 adj3 address) near3 stor\$3)) and (redundan\$2 adj2 decoder)) and (subblock sub-block)) and (defect\$3 near3 stor\$3 near3 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:01
S49	63	(shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:02
S50	51	(shift adj2 redundan\$4) and (defect\$3 adj3 line) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:02
S51	4	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:02
S52	17	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:02
S53	22	((shift adj2 redundan\$4) and (defect\$3 adj3 (line bus connection)) and memory) and (defect\$3 adj3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:02
S54	1	"6194914".PN. and ("6194914".PN. and (((326/106 326/105 326/104 326/113).ccls.) and Nand\$3 and read\$3) and memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:02

S55	5	(address near2 input) and (((US-6314033-\$ or US-6188597-\$ or US-5491655-\$ or US-6304501-\$ or US-6104648-\$ or US-6246614-\$).did. or (JP-2001297595-\$).did. or (JP-2001297595-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:03
S56	42	(((address near3 input) and (redundant with defect\$3)) and (array bank block)) and (subblock sub-block sub-array subarray sub-bank subbank)) and (defect\$3 with shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:03